ELSEVIER

Journal of Controlled Release 48 (1997) 369–373

journal of controlled release

Contents Volume 48 (1997)

Vol. 48, No. 1 (22 SEPTEMBER 1997)

Studies on dissolution testing of the nifedipine gastrointestinal therapeutic system. I. Description of a two-phase in vitro dissolution test
J.S. Grundy (Greenfield, IN, USA) and K.E. Anderson, J.A. Rogers, R.T. Foster (Edmonton, Canada) 1

Studies on dissolution testing of the nifedipine gastrointestinal therapeutic system. II. Improved in vitro-in vivo correlation using a two-phase dissolution test
J.S. Grundy (Greenfield, IN, USA) and K.E. Anderson, J.A. Rogers, R.T. Foster (Edmonton, Canada) 9

The polymer-alloys method as a new preparation method of biodegradable microspheres: principle and application to cisplatin-loaded microspheres
A. Matsumoto, Y. Matsukawa, T. Suzuki, H. Yoshino, M. Kobayashi (Osaka, Japan) 19

Collagen and heparin matrices for growth factor delivery
J.A. Schroeder-Tefft, H. Bentz, T.D. Estridge (Palo Alto, CA, USA) 29

Bioadhesive microspheres: III. An in vivo transit and bioavailability study of drug-loaded alginate and poly(fumaric-co-sebacic anhydride) microspheres
D.E. Chickering III, J.S. Jacob, T.A. Desai, M. Harrison, W.P. Harris, C.N. Morrell, P. Chaturvedi, E. Mathiowitz (Providence, RI, USA) 35

Transport of ionizable drugs and proteins in crosslinked poly(acrylic acid) and poly(acrylic acid-co-2-hydroxyethyl methacrylate) hydrogels. II. Diffusion and release studies
M.T. am Ende, N.A. Peppas (West Lafayette, IN, USA) 47

Computer simulation of molecular diffusion in amorphous polymers
T. Li, D.O. Kildsig, K. Park (West Lafayette, IN, USA) 57

Influence of physicochemical properties of model compounds on their release from biodegradable polyanhydride devices
E.-S. Park (Charleston, SC, USA), M. Maniar (San Diego, CA, USA) and J.C. Shah (Charleston, SC, USA) 67

Prevention of contact hypersensitivity to topically applied drugs by ethacrynic acid: potential application to transdermal drug delivery
R.S. Kalish, J.A. Wood (Stony Brook, New York, USA), A. Kydonieus (Princeton, NJ, USA) and J.J. Wille (Trenton, NY, USA) 79

Book Reviews 89
Newsletter 91
Instructions to Authors 103

Vol. 48, Nos. 2,3 (13 OCTOBER 1997)

Special Issue: Proceedings of the Fourth European Symposium on Controlled Drug Delivery

Preface
T. Sam (Oss, The Netherlands) and J. Feijen (Enschede, The Netherlands) 105

I. Novel Macromolecular and Supra-molecular Materials for Drug Delivery

Dextran hydrogels for the controlled release of proteins
W.E. Hennink, O. Franssen, W.N.E. van Dijk-Wolthuis and H. Talsma (Utrecht, The Netherlands) 107

New generation of poly(ortho esters): synthesis, characterization, kinetics, sterilization and biocompatibility
M. Zignani, A. Merkli, M.B. Sintzel, S.F. Bernatchez, W. Kloeti (Geneva, Switzerland), J. Heller (Redwood City, CA, USA) and C. Tabatabay, R. Gurny (Geneva, Switzerland) 115

Anti-inflammatory effect of the conjugate of superoxide dismutase with the copolymer of divinyl ether and maleic anhydride against rat re-expansion pulmonary edema
T. Hirano, T. Todoroki, R. Morita, S. Kato, Y. Ito, K.-H. Kim, P. Gajanan Shukla (Ibaraki, Japan), F. Veronese (Padova, Italy), H. Maeda (Kumamoto, Japan) and S. Ohashi (Ibaraki, Japan) 131

Squeezing hydrogels for controlled oral drug delivery
A. Gutowska, J. Seok Bark, I. Chan Kwon, Y. Han Bae, Y. Cha and S. Wan Kim (Salt Lake City, UT, USA) 141

A marriage between natural and synthetic polymers: novel temperature-sensitive bioconjugates
N. Ogata (Tokyo, Japan) 149

Thermo-responsive polymer nanoparticles with a core-shell micelle structure as site-specific drug carriers
S. Cammas, K. Suzuki, C. Sone, Y. Sakurai (Tokyo, Japan) K. Kataoka (Chiba Ken, Japan) and T. Okano (Tokyo, Japan) 157

Polymeric prodrugs of 5-fluorouracil
M. Nichifor, E.H. Schacht (Gent, Belgium) and L.W. Seymour (Birmingham, UK) 165

II. Novel Drug Delivery Systems

Delivery of antisense oligonucleotides by means of pH-sensitive liposomes
M.C. De Oliveira (Chatenay-Malabry, France and Belo Horizonte/MG, Brazil), E. Fattal (Chatenay-Malabry, France), C. Ropert, C. Malvy (Villejuif, France) and P. Couvreur (Chatenay-Malabry, France) 179

Computer-controlled drug release from small-sized dosage forms
R. Gröning (Münster, Germany) 185

Block copolymer micelles for drug delivery: loading and release of doxorubicin
G. Kwon (Edmonton, Canada), M. Naito (Noda, Japan), M. Yokoyama, T. Okano, Y. Sakurai (Tokyo, Japan) and K. Kataoka (Noda, Japan) 195

Recent developments in medical applications of liposomes: sterically stabilized liposomes in cancer therapy and gene delivery in vivo
D.D. Lasic (Newark, CA, USA) 203

Physicochemical characterization of lipid nanoparticles and evaluation of their drug loading capacity and sustained release potential
K. Westesen, H. Bunjes (Jena, Germany) and M.H.J. Koch (Hamburg, Germany) 223

III. Pharmaco-economics of Therapies Involving Controlled Release Dosages Forms

The pharmacoeconomic value of controlled-release dosage forms
S.R. Saks (Palo Alto, CA, USA) and L.B. Gardner (Mountain View, CA, USA) 237

IV. New Therapeutic Approaches based on Controlled Drug Delivery

Current options for vaccine delivery systems by mucosal routes
J. Mestecky, Z. Moldoveanu, S.M. Michalek, C.D. Morrow (Birmingham, AL, USA), R.W. Compans (Atlanta, GA, USA), D.P. Schafer (Malvern, PA, USA) and M.W. Russell (Birmingham, AL, USA) 243

Microparticles of poly(DL-lactic-co-glycolic acid)/poly(ethylene glycol) blends for controlled drug delivery
R.L. Cleek, K.C. Ting, S. G. Eskin and A.G. Mikos (Houston, TX, USA) 259

Synthetic polymers for vectorial delivery of DNA: characterisation of polymer-DNA complexes by photon correlation spectroscopy and stability to nuclease degradation and disruption by polyanions in vitro
P.R. Dash (Birmingham, UK), V. Toncheva, E. Schacht (Gent, Belgium) and L.W. Seymour (Birmingham, UK) 269

Targeting the vasculature of solid tumours
P.E. Thorpe and E.J. Derbyshire (Dallas, TX, USA) 277

Abstracts

I. Novel Therapeutic Delivery System

Spray-dried polyactide and poly(lactide-coglycolide) microparticles in controlled oral vaccine delivery
B. Baras, M-A. Benoit, C. Youan, Bi Botti and J. Gillard (Bruxelles, Belgium) 289

Controlled release of steroids from lactide/ε-caprolactone copolymers
M. Bero, P. Dobrzyñski, J. Kasperczyk, B. Buntner and M. Nowak (Zabrze, Poland) 290
Lipogel topical products – new technological and economical considerations
S. Bragarea and S. Stanescu (Bucharest, Romania) 291
Renal targeting of naproxen by coupling to lysozyme
M. Haas, A.C.A. Kluppel, D.K.F. Meijer, P.E. de Jong, F. Moolenaar and D. de Zeeuw (Groningen, The Netherlands) 292
Targetable HPMA copolymer-drug-antibody conjugates for the treatment of ovarian cancer
P. Kopečková, V. Omelyanenko, C. Gentry and J. Kopeček (Salt Lake City, UT, USA) 292
Purification of antibacterial proteins from human blood platelets
J. Krijgsveld, S.A.J. Zaat (Amsterdam, The Netherlands), A.J. Kuijpers, G.H.M. Engbers, J. Feijen (Enschede, The Netherlands) and J. Dankert (Amsterdam, The Netherlands) 294
Gelatin matrices for the release of cationic antibacterial proteins
A.J. Kuijpers, G.H.M. Engbers, P.J. Dijkstra, J. Feijen (Enschede, The Netherlands), J. Krijgsveld, S.A. Zaat and J. Dankert (Amsterdam, The Netherlands) 296
In-vitro and in-vivo evaluation of biodegradable polyester/trypanocide devices
Y. Lemmouchi, E. Schacht (Ghent, Belgium), P. Kageruka, R. de Deken and S. Geerts (Antwerpen, Belgium) 298
Cardiotoxicity of doxorubicin loaded in gelatin crosslinked nanoparticles
E. Leo, M.A. Vandelli, M.T. Bernabei, F. Forni and R. Cameroni (Modena, Italy) 299
Biological evaluation of mitomycin C bound to a biodegradable polymeric carrier
H. Soyez, E.H. Schacht (Ghent, Belgium) and B. Rihova (Prague, The Chech Republic) 300
Block copolymers with pH-dependent secondary structure
V. Toncheva, T. Vanheede, S. Vanderkerken and E. Schacht (Ghent, Belgium) 301
Mucoadhesive dosage forms of apomorphine hydrochloride
M.I. Ugwoke, N. Verbeke, and R. Kinget (Leuven, Belgium) 302

II. Novel Macromolecules and Supra-molecular Materials for Drug Delivery

Temperature and pH-sensitive polymers for polypeptide drug delivery
M. Baudyš, A. Serres, C. Ramkissoon and S.W. Kim (Salt Lake City, UT, USA) 304
Interpenetrating networks of poloxamer copolymers and poly(acrylic acid) as vehicles in controlled drug delivery
L. Bromberg, M. Orkisz, E. Roos, E.S. Ron and M. Schiller (Bedford, MA, USA) 305
Synthesis and in vitro evaluation of macromolecular prodrugs of norfloxacin
V. Coessens and E. Schacht (Ghent, Belgium) 308
Phospholipid-amino acid conjugates
M. De Cuyper (Kortrijk, Belgium), D. Muller-Schülte, F. Füssl and H. Lueken (Aachen, Germany) 310
Investigation of swelling behaviour of polyacrylic acid
N. Cvetkovic, M. Nešic and D. Njegovan (Beograd, Yugoslavia) 311
Glycidyl methacrylate derivatized α,β-poly(N-hydroxyethyl)-DL-aspartamide and α,β-polyasparthydrazide. synthesis, characterization and radiation formation of hydrogels
G. Giammona, V. Tomarchio and G. Pitaressi (Palermo, Italy) 313
Synthesis and evaluation of poly-(ethylene glycol) modified polymers as drug carriers
K. Hoste, E. Schacht (Ghent, Belgium), F. De Schryver (Heverlee, Belgium) and L. Seymour (Birmingham, UK) 314
Physicochemical interactions and morphology of cationic lipid-oligonucleotide complexes
I. Jääskeläinen, J. Mönkkönen (Kuopio, Finland), B. Sternberg (Jena, Germany) and A. Urtti (Kuopio, Finland) 316
Effect of 2-HP-β-cyclodextrin on the release of dexmedetomidine from silicone matrices and reservoir devices
K. Korhonen, R. Sutinen, P. Paronen and A. Urtti (Kuopio, Finland) 317
Hydrolytic degradation of plaga, calculation of rate constants from various types of in-vitro degradation curves
E.P. Magré (Arnhem, The Netherlands) and A.P. Sam (Oss, The Netherlands) 318
Synthesis and evaluation of polymeric prodrugs of N,N-DI(2-chloroethyl)-4-phenylenediamine mustard
H. Soyez, E.H. Schacht (Ghent, Belgium) and L.W. Seymour (Birmingham, UK) 320
A versatile and highly efficient catalyst system for the ring-opening polymerization of lactones
W.M. Stevels, M.J.K. Ankoné, P.J. Dijkstra, and J. Feijen (Enschede, The Netherlands) 320
Influence of crosslinking degree and loading method on cytarabine release from microparticles of crosslinked α,β-polyasparthydrazide
G. Giammona, G. Pitarresi, V. Tomarchio and G. Cavallaro (Palermo, Italy) 321
α,β-poly(N-hydroxyethyl)-DL-aspartamide crosslinked by gamma radiation for drug release
G. Pitarresi, V. Tomarchio, G. Cavallaro, G. Giammona (Palermo, Italy) and Francesco Castelli (Catania, Italy) 323

III. Liposomes, Microspheres and Nanospheres

The size distribution of reverse-phase liposomes produced with a high intensity ultrasonic processor equipped with a flow cell
H.B. Arnardóttir (Reykjavik, Iceland), S.J. Sveinsson (Hafnarfjördur, Iceland) and T. Kristmundsdóttir (Reykjavik, Iceland) 325
The release rate profiles of clindamycin phosphate from different types of liposome suspensions and selected dosages forms
H.B. Arnardóttir (Reykjavik, Iceland), S.J. Sveinsson (Hafnarfjördur, Iceland) and T. Kristmundsdóttir (Reykjavik, Iceland) 325
Inhibition of proopiomelanocortin translation with liposomes containing a 30-mer antisense oligonucleotide
M. Fresta, G. Puglisi, R. Chillemi, S. Sciuto (Catania, Italy), L. Carboni and S. Spampinato (Bologna, Italy) 326
Reduced maturation of ischemic injuries by liposome containing cytidine-5′-diphosphate choline
M. Fresta and G. Puglisi (Catania, Italy) 327
Lecithin organogels as potential ophthalmic drug delivery systems. A toxicological study
M. Fresta, G. Puglisi, C.A. Ventura, A.M. Panico, M.G. Mazzone and V. Moschetti (Catania, Italy) 328
Surface modified albumin nanospheres
W. Lin, M.C. Garnett (Nottingham, UK), P. Ferruti (Brescia, Italy), S.S. Davis and L. Illum (Nottingham, UK) 329
Liposomal system for the BPA selective transport to tumour tissue
F. Pavanetto, P. Perugini, I. Genta and L. Roveda (Pavia, Italy) 331
Development of modified release ibuprofen microspheres: effect of formulation variables on in-vitro drug release and physical characteristics
D. Perumal and C.M. Dangor (Durban, Republic of South Africa) 333
Incorporation of a nitric oxide donor in cationic liposomes for targeted drug delivery
A.T. Pham and N.C. Phillips (Montréal, Canada) 333
Preparation by different techniques of tolmetin-loaded eudragit RL100 and RS100 microparticles
R. Pignatello (Catania, Italy) and G. Puglisi (Chieti, Italy) 336
Characterisation of non-phospholipid nanoparticles for pharmaceutical and/or cosmetical use
S. Stanescu and S. Bragarea (Bucuresti, Romania) 338
Poly(ϵ-caprolactone) microparticles containing muramyl dipeptide for oral controlled release of adjuvant
B.B.C. Youan, M.A. Benoit, B. Baras (Bruxelles, Belgium), G. Riveau (Lille, France) and J. Gillard (Bruxelles, Belgium) 339
Controlled release of ionic pharmaceuticals from poly(L-lactide) microspheres prepared by precipitation with a compressed antisolvent
R.F. Falk, T.W. Randolph, J.D. Meyer, R.M. Kelly, M.C. Manning (Denver, CO, USA) 340

IV. Oral and Parenteral Delivery

Mucoadhesion of polycarbophil and chitosan microspheres on isolated guinea pig vesical and intestinal mucosa
M. Bogataj and A. Mrhar (Ljubljana, Slovenia) 340
The comparison of mucoadhesion strength of polymeric films under two different experimental conditions
M. Burjak, M. Bogataj and A. Mrhar (Ljubljana, Slovenia) 342
Micropelletisation of theophylline by a spray-drying process and the effect of different coating polymers
K. Canefe and T. Çomoğlu (Tandoğan-Ankara, Turkey) 343
Controlled release of injectable zinc/recombinant hirudin co-precipitates: development and validation of release model
U. Gietz (Zürich, Switzerland), T. Arvinte, E. Mader, P. Oroszlan (Basel, Switzerland) and H.P. Merkle (Zürich, Switzerland) 343
Biodegradable hydrogel capsules based on dextran for the controlled delivery of drugs to the colon
L. Hovgaard, H. Brondsted, J. Gunnertoft Jensen and L. Nørgaard (Copenhagen, Denmark) 345
Oral multiple W/O/W emulsion formulations for recombinant human insulin
H. Hudayberdiyev, F. Öner and A.A. Hincal (Ankara, Turkey) 346
Parenteral emulsions as drug carriers: formulation and stability evaluation
S. Nasiredeen, H.S. Kas, F. Öner and A.A. Hincal (Ankara, Turkey) 348
Local drug delivery of levonorgestrel and norethindrone by diffusion from hollow nylon fibres: toxicity and teratogenicity
S.N. Ostad and P.R. Gard (Brighton, UK) 350
Design of oral sustained release nefedipine using semisolid matrix systems
E. Sallam (Sult, Jordan), H. Younis, N. Najib and G. Pillai (Irbid, Jordan) 351
High surface area retrograded pregelatinized starch in sustained-release tablets
G.H.P. Te Wierik, A.C. Eissens, C.F. Lerk (Groningen, The Netherlands) and J. Bergsma (Foxhol, The Netherlands) 352

V. Biopharmaceutics

Renal delivery of the ace inhibitor captopril
R.J. Kok, F. Moolenaar, D. de Zeeuw and D.K.F. Meijer (Groningen, The Netherlands) 353

Pulsatile drug delivery device
L. Maggi, U. Conte and P. Giunchedi (Pavia, Italy) 354
Effect of food on sustained release diclofenac sodium 100mg tablets
E. Sallam, S. Deleq, M. Shubair (Sult, Jordan), N. Najib, M. Hasan (Irbid, Jordan) and S. Zemeili (Amman, Jordan) 355

VI. Transmembrane Transport

Calorimetric studies on the transfer kinetics of biphenylacetic acid from polyaspartamide hydrogels to a model membrane. A closer look at the pH effect
F. Castelli (Catania, Italy), G. Pitarresi, V. Tomarchio and G. Giammona (Palermo, Italy) 357
Maintenance of human skin viability in flow-through diffusion cells; absorption and metabolism of benzyl alcohol in scalp skin
P.A. Cornwell, A.H.P. van Gompel, M.A. Blount and J.W. Wiechers (Sharnbrook, UK) 359
Rate-controlling device contributions to overall skin-controlled transdermal drug delivery
M.M. Feldstein, V.S. Markin, A.L. Iordanskii (Moscow, Russia), J. Hadgraft (Cardiff, UK) and N.A. Platé (Moscow, Russia) 361
Interaction of diclofenac sodium with eudragit RL polymer: a model for controlled release system
D. Omari (Amman, Jordan), E. Sallam (Sult, Jordan) and N. Najib (Irbid, Jordan) 363

Author Index Volume 48 365
Subject Index Volume 48 367
Contents Volume 48 369